


Regimen B - Induction.

Flowchart 8


Note that patients must have M1 or M2 marrow at day 8 and M1 at day 29 to continue on regimen B. Patients < 16 years with M3 marrow at day 8 switch to regimen C induction 2 (flowchart 15b). Patients > 16 years continue on Regimen B regardless of day 8 marrow.



Regimen B - standard BFM consolidation.


Flowchart 9

Thiopurine sample between weeks 14-17.




Regimen B - Interim maintenance no 1.

Flowchart 10




Regimen B - Delayed intensification no 1

Flowchart 11




Regimen B - Interim maintenance no 2.

Flowchart 12



Regimen B - Delayed intensification no 2


Flowchart 13



Regimen B. Maintenance cycle 1.


Starts at week 26 for those randomised to one delayed intensification

Flowchart 14a




Regimen B. Maintenance cycle 2.

Flowchart 14b




Regimen B. Maintenance cycle 3.

Flowchart 14c




Regimen B. Maintenance cycle 4.

Flowchart 14d




Regimen B. Maintenance cycle 5.

Flowchart 14e




Regimen B. Maintenance cycle 6.

Flowchart 14f




Regimen B. Maintenance cycle 7.

Flowchart 14g




Regimen B. Maintenance cycle 8.

Flowchart 14h



Regimen B. Maintenance cycle 9.

Flowchart 14i



Regimen B. Maintenance cycle 10.

Flowchart 14j

(BM(MRD) for 2 x DI boys)

week 166 EOT for boys having 2 delayed intensifications

IT Methotrexate

***NB Boys having a single delayed intensification
continue therapy to D64 cycle 12***

Vincristine 1.5mg/m2

Dexamethasone

Mercaptopurine

Oral methotrexate 20mg/m2


Co-trimoxazole

Day/cycle

Week (2 x DI)


Week (1 x DI)

Date



Regimen B Maintenance cycle 11

Flowchart 14k



Regimen B Maintenance cycle 12

Flowchart 14I